


NOVUS GEAR

Gear Design and Manufacture

Cut for Strength. Built to Drive



NOVUS GEAR

www.novusgear.co.za

31A Lincoln Road, Benoni · +27 11 918 4270 · sales@novusgear.co.za



The Art of Power Transmission

BIBBY TURBOFLEX™
A REGAL REXNORD BRAND

STIEBER™
A REGAL REXNORD BRAND

FORMSPRAG CLUTCH™
A REGAL REXNORD BRAND

MARLAND CLUTCH™
A REGAL REXNORD BRAND

NOVUS GEAR FLEXLINE

NOVUS GEAR N-WRAP

NOVUS GEAR N-FLEX

WESTCAR

Spiral and Straight Bevel Gears
Hardened and Ground or Hardcut



Design and manufacture of spiral bevel gears, case hardened and ground/hard cut up to 1600 mm in diameter and max 45 module. Quality class DIN 6.

External Helical & Spur Gears
Case Hardened and Ground



Design and manufacture of helical gears, case hardened and ground up to 2600 mm in diameter and 1000 mm face width, 36 module. Profile ground quality class DIN 5.

Internal Helical & Spur Gears
Case Hardened and Ground



Design and manufacture of helical gears, case hardened and ground up to 2500 mm internal diameter, 500 mm face width, 25 module. Profile ground quality class DIN 6.

Planetary Systems



Large planetary drive systems available. Design and manufacture of drop-in replacement units.

Helical and Open Gearing Soft



Open gearing up to 6000 mm diameter,
max module 60, quality class DIN 7.

Double Helical Gearing Soft




Double helical gearing up to 6000 mm
diameter, max module 60, quality class
DIN 7.

Internal Helical Gearing Soft



Internal gearing up to 3500 mm
diameter, max module 36, quality class
DIN 7.

Worm Gearing



Worm gears up to 1500mm diameter.

